

A SYSTEMATIC INDEX TO THE KEYS FOR THE DETERMINATION OF THE NEARCTIC COLEOPTERA*

BY MELVILLE H. HATCH

Adequate analytical keys are scarcely less important to the progress of coleopterology than are the original descriptions. The following index has been drawn up with the object of facilitating reference to the extant keys for the determination of families, genera, and species of the Coleoptera of America north of Mexico.

The several systematic groups are arranged in the sequence of the Leng (1920) "Catalogue of the Coleoptera of America north of Mexico" and are followed by brief bibliographical references which involve the author's name, the last two figures of the year of publication, and a page number which refers either to the first page of the paper containing the key or to the first page upon which the key actually begins. The complete reference is to be obtained either from the bibliography (to Jan. 1, 1919) on pages 367 to 444 of the Leng (1920) "Catalogue" or from the supplementary bibliography at the end of this index. The abbreviation "G.I." followed by a figure indicates a fascicule of Wysman's *Genera Insectorum*, which is not further mentioned in the bibliography.

Further information concerning the scope of the key is given in parentheses after the page number. If no such notation occurs, it is to be understood that the key is to all the species of adults known to its author for the entire Nearctic area north of Mexico previous to the date of publication. The key may be limited by being only to the species of a part of the group or genus, a subgenus, a group of species or the species of a particular geographical region. It may further be limited by being only to families, genera, or subgeneric groups. Finally, it may be a key to some

* A contribution from the Department of Zoölogy of the University of Minnesota.

other than the adult stage, as to eggs, larvæ; or pupæ. In view of the paucity of keys to larvæ and the similarity of the Nearctic and Palæaretic genera, European as well as American keys to genera of larvæ have frequently been included. Larval keys to genera rarely exhaust the genera of the group under consideration. Some of the earlier keys by Leconte and others did not go further than to groups of species, whereupon one must read through a series of specific descriptions to make a determination. Such keys are designated, in part, as "imperfect."

The more inclusive papers are indexed but once, so that, if one desires to ascertain the keys that exist for any particular genus, he must not only consult that genus, but look for possible references under the tribe, subfamily, family, and series, as well as the group of references preceding Adaphaga at the beginning of the index.

The student must always remember that he will find keys to genera in Leconte and Horn (1883), keys to species inhabiting Indiana, exclusive of the Rhyncophora, in Blatchley (1910), keys to the species of most of the genera of Rhyneophora in Leconte and Horn (1876), and keys to the species of Rhyneophora of eastern North America in Blatchley and Leng (1916). Furthermore, the student should generally use the most recent key and check it against species or groups not included in it, especially such as have been described since its publication.

The aim of the index has been practical, and little effort has been made to go back of Leconte and Horn or to include references of primarily historical interest. The bibliographies in Blatchley's "Coleoptera of Indiana," Blatchley and Leng's "Rhyncophora of North Eastern America," and the bibliographical references in Leng's "Catalogue of the Coleoptera of America north of Mexico" have been used, but especial acknowledgment must be made to the bibliography by Henshaw in the back of Leconte and Horn's "Classification of the Coleoptera of North America" (1883), its supplement in the back of Henshaw's "Third Supplement to the List of the Coleoptera of America north of Mexico" (1895), and Bank's "List of Works on North American Entomology" (1910), all of which were drawn up to serve somewhat the same purpose as the present index. The

author is further indebted to Professor Paul S. Welch for calling his attention to some of the references to larvæ.

It is hoped that it may be possible to issue periodic supplements to this index which will include new keys as they appear as well as old references that have been overlooked in the preparation of the present work. The author will appreciate having omissions and errors called to his attention.

COLEOPTERA Leconte and Horn 83 (genera), Hayward 09 (fam.), Brues and Melander 15:30 (fam.) Comstock 25: 467 (fam.), Essig 26: 369-521 (fam.), Lec. 69: 251 (fam. of Rhypophaga), Pierce 16: 462 (superfam. of Phytophaga), Leng 20: 15-16 (series), MacGillivray 03: 289 (fam. of larvæ), Schiödte 61-83 (many keys to larvæ: not seen), Kuhnt 13: 1091 (fam. of Cantharoid larvæ), Seidlitz 98: 312 (fam. of larvæ of Lagriiidæ, Pyrochroidæ, Pythidæ).

COLEOPTERA GENUINA Blatchley 10 (Ind.).

COLEOPTERA AQUATIC Needham 18: 937 (genera of adults, fam. of larvæ), Wilson 23: 268-71 (fam. and genera of larvæ and pupæ of Iowa).

ADEPHAGA Horn 67: 153 (fam.), Fowler 12: 51 (fam.), Notman 25: 4 (fam.), Ganglbauer 92: 4 (fam. of larvæ).

CICINDELIDÆ Schaupp 83: 73, Leng and Beutenmüller 94: 87-96 (n. e. N. A.), Horn 08-15: G. I. 82 (genera), Hamilton 25: 1 (larvæ). **AMBLYCHEILLA** Csy. 24: 2. **OMUS** Horn and Schaupp 78: 6, Csy. 98: 288, 09: 255, 14: 1, 16: 20 (*hornii* group). **CICINDELA** Lec. 57: 27, Csy. 13: 27 (*12-guttata* group), 14: 17 (*longilabris* group), 97: 294 (*Dromochorus*), Wickham 94: 151 (Ont., Que.), Blanchard 23: 412 (Cheyboygan and Emmet Co., Mich.).

CARABIDÆ Horn 81: 91 (genera), van Emden 19: 3-33 (genera of larvæ), 21: 128 (genera of larvæ).

Carabinæ Leng and Beutenmüller 94: 135-141, 175-190 (n. e. N. A., no key to genera).

Trachypachini Horn 78: 30, Csy. 20: 144, Van Dyke 25: 112.

Cychrini Horn 78: 168, Schaupp 79: 79, Lec. 68: 60 (Pacific), Rœsche 07: 9-277. **NOMARETUS-MARONETUS** Schwarz 95: 269. **PEMPHUS** Csy. 97: 338. **BRENNUS** Csy. 97: 307, 20: 183 (*cordatus* group). **NEOCYCHRUS** Van Dyke 24: 6.

Carabini: **CARABUS** Horn 76: 247, Lec. 78: 66. **CALOSOMA-CALISTHENES** Lee. 78: 64, Burgess 17: 17 (adults and larvæ). **CALLISTHENES** Csy. 20: 164 (*pimeloides* group), 13: 70 (*luxatus* group).

Elaphrini Horn 78: 29 (except species of *Elaphrus*). **ELAPHRUS** Horn 76: 246, Schaupp 78: 6. **BLETHISA** Horn 76: 247.

Loricerini Horn 78: 29, Van Dyke 25: 114, Rousseau 08: G. I. 86 (genera).

Opisthiini Horn 78: 30, Dupuis 12: G. I. 126 (genera).

Notiophilini Horn 76: 247, 78: 30, Fall 06: 82, Dupuis 12: G. I. 134 (genera).

Nebriini Bänninger 25: 180, 256, 329 (groups). **PELOPHILA-NEBRIA** Horn 70: 97, Lec. 78: 473, Schaupp 78: 45, 63.

Metriini Van Dyke 25: 123, Dupuis 11: G. I. 116 (genera).

Promecognathini Schaupp 79: 15, Csy. 13: 93, Rousseau 08: G. I. 84 (genera).

Scaritini Lec. and Schaupp 79: 15-18, 31-34, 59. **PASIMACHUS** Lec. 74: 266 (imperfect), Csy. 13: 76, Leng 15: 567 (Fla.). **SCARITES** Leng 15: 568. **CLIVINIA-ARDISTOMIS** Lec. 57: 75 (no keys to genera, keys imperfect). **CLIVINIA** Horn 81: 7 (groups), Fall 22: 161 (groups).

Harpalinæ Bisetosæ: **Panagæini** Lec. 79: 59, Leng and Beutenmüller 95: 73 (n. e. N. A.).

Psydrini Dupuis 12: G. I. 123 (genera).

Bembidiini Lec. 57: 2 (groups), Csy. 18: 1. **BEMBIDION** (s. lat.) Hayward 97: 32, Fall 10: 94 (*littorale* group), Notman 19: 296 (*muscicola* group). **TACHYS** (s. lat.) Hayward 99: 191.

Pogonini-Pogonini veri Horn 82: 47-48. **PATROBUS-PLATIDUS** Horn 75: 130, Csy. 18: 395, 398. **PATROBUS** Leng and Beutenmüller 95: 74 (n. e. N. A.). **TRECHUS** Schaeffer 01: 209, Leng and Beutenmüller 95: 76 (n. e. N. A.), Csy. 18: 405, Jeannel 27: 113, 146-156, 167, 185. **NEAPHÆNOPS**

- PSEUDANOPHTHALMUS (*Anophthalmus*) Horn 68: 126, 71: 329, 83: 270.
- Pterostichini Lec. 52: 225, Wickham 95: 180-190 and 96: 42 (n. e. N. A., no key to genera), Csy. 18: 320 (genera). MYAS Schaupp 82: 63, Csy. 18: 326. HOLCIOPHORUS Horn 80: 50, Csy. 13: 96. CYLINDROCHARIS Csy. 18: 327. PTEROSTICHUS (s. lat.) Lec. 73: 302, Schaupp 82: 15, Csy. 13: 100-129 (parts). LEPTOFERONIA Horn 91: 33 (*Pterostichus*). GASTRELLARIUS-EVARTHRUS Csy. 18: 339-358. GASTRELLARIUS Horn 91: 34 (*Pterostichus*). EVARTHUS (s. lat.) Lec. 73: 318, Schaupp 80: 21, Wickham 95: 189 (n. e. N. A.). EVARTHINUS Csy. 20: 194. FERESTRIA Csy. 20: 191. EUFERONIA Csy. 18: 365. GASTROSTICTA Csy. 18: 371. LOPHOGLOSSUS Schaupp 80: 49, Csy. 13: 143. PARARGUTOR Csy. 18: 377. BOTHRIOPTERUS Csy. 13: 138. LOXANDRUS Lec. 52: 250, 78: 375. Schaupp 80: 19, Csy. 18: 380.
- Amarini Lec. 55: 346 (imperfect), Wickham 96: 33-42 (n. e. N. A.), Hayward 08: 13 (except *Celia*), Csy. 18: 225 (genera). BRADYTUS-TRIÆNA Csy. 18: 235-314. BRADYTUS Horn 75: 128. CELIA Horn 92: 19. AMARA Horn 75: 127. TRIÆNA Horn 92: 18.
- Licinini Wickham 96: 43-49 (n. e. N. A., no key to genera). REMBUS Horn 80: 52, Csy. 97: 347, 13: 147. DICÆLUS Lee. 69: 246 (groups), Horn 80: 51, Csy. 20: 206 (*elongatus* group). BADISTER Lec. 80: 165, 82: 7, Csy. 20: 207.
- Platynini: CALATHUS Lec. 54: 36, 60: 317 (imperfect), Schaupp 83: 49, Csy. 13: 156, 20: 213 (Pacific species). RHADINE Lec. 78: 450, Csy. 13: 162. PLATYNUS Lec. 54: 35, 69: 244 (groups), 79: 43, Csy. 20: 3, Hatch 26: 247 (*decorus* group). OLISTHOPUS Lec. 54: 58, Horn 82: 63, Csy. 13: 162. PERIGONIA Horn 92: 44.
- Anchoderini-Egini Lec. and Schaupp 79: 61, 62, 85. GALERITA Csy. 20: 266.
- Lebiini Horn 82: 126 (except *Lebia*), Horn and Schaupp 79: 86 and 81: 39-44, 53-55 (*Tetragonoderus-Lebia*, *Dromius*, *Blechrus-Pinacodera*), Dupuis 13: G. I. 145 (genera of *Pentagonieinae*). LEBIA Horn 72: 130, Csy. 20: 234 (*Loxopeza*),

- 13: 191 (*aphelogenia* group), 20: 240–252 (parts), 20: 262 (*Dianchomena*). DROMIUS-BLECHRUS Csy. 20: 268–277. AXINOPALPUS Csy. 20: 265. PHILOPHUGA Csy. 13: 173. PINACODERA Csy. 20: 279. CYMINDIS Csy. 13: 178.
- Helluonini Lec. 79: 60.
- Harpalinæ Unisetosæ: Brachinini Lec. 62: 523 (imperfect).
- Chlæniini Lec. 56: 25 (imperfect), Horn 76: 253, 81: 3, 29. ANOMOGLOSSUS Csy. 14: 39.
- Oödiini Horn 70: 105, 81: 29. ANATRICHIS Horn 91: 36.
- Harpalini Csy. 14: 45. CRATACANTHUS Csy. 84: 73. HARPALUS Lec. 65: 98. SELENOPHORUS Horn 80: 78, 82: 8. DISCODERUS Horn 83: 52. Anisodactyli Horn 80: 162, 81: 83. ANISODACTYLUS Lec. 63: 15 (e. N. A.). ACUPALPI Lec. 68: 373 (imperfect), Schaupp and Horn 83: 15, 50–54, Fall 05: 177 (genera). GLYCERIUS Fall 05: 175. PELMATELLUS, TACHYCELLUS, TRIARIARTHROUS Fall 05: 172.
- Pseudomophinæ Horn 83: 16, 83: 273, Notman 25: 14.
- AMPHIZOIDÆ Van Dyke 27: 97.
- OMOPHRONIDÆ Horn 70: 71, Schaupp 78: 5, Csy. 97: 300, 13: 42 (parts), Leng and Beutenmüller 94: 133 (n. e. N. A.), Bänninger 21: 113 (groups), Rousseau 08: G. I. 83 (genera).
- HALIPLIDÆ Matheson 12: 156, Zimmermann 24: 1, Wickham 95: 69–70 (Ont., Que.), Leng and Mutchler 18: 92–94 (Fla.). PELTODYTES Roberts 13: 122, Zimmermann 19: 68.
- DYTISCIDÆ Crotch 73: 383 (imperfect), Sharp 82: 179, Wickham 95: 70–76, 117–122, 149–153 (Ont., Que.), Zimmermann 19: 68 (genera). CANTHYDRUS Blatchley 19: 308 (Fla.). LACCOPHILUS Horn 83: 283. BIODESSUS Fall 17: 167 (*pictodes* group), Leng and Mutchler 18: 82 (Fla.). HYDROPORINI Lec. 55: 290. CŒLAMBUS Fall 19: 1. HYDROPORUS Fall 23: 1, 26: 141 (*12-lineatus* group). AGABUS Fall 22: 3. COLYMBETES Lec. 62: 521 (imperfect).
- GYRINIDÆ Lec. 68: 365 (imperfect), Leng and Mutchler 18: 95–97 (Fla.), Regimbart 02: G. I. 1 (genera), Hatch 25: 110 (larvæ). DINEUTUS Roberts 95: 279, Hatch 25: 447 (subgenera), 26: 344 (subgenera), 27: 28 (Mich. larvæ), Ochs 26: 64 (subgenera). GYRINUS Fall 22: 275.

HYDROPHILIDÆ Lec. 55: 356 (imperfect), Wickham 95: 181–186, 213–216 (Ont., Que.), Kuhnt 13: 1087 (genera of larvæ), Richmond 20: 82–88 (genera of egg-cases, larvæ, and pupæ). **OCHTHEBIUS** Lec. 78: 378, Horn 90: 18. **HYDRÆNA** d'Orchymont 23: 33. **LIMNEBIUS** Csy. 86: 167, 00: 51. **EPIMETOPUS** Schwarz and Barber 17 (18): 132. **BEROSUS** Horn 73: 118. **HYDROUS-DIBOLOCELUS** Regimbart 01–02: 192. **HYDROPHILUS** Horn 76: 251, 95: 233. **TROPISTERNUS** Horn 76: 251, d'Orchymont 21: 349–374 and 22: 3–39. **Hydrobiini** Horn 73: 118, 90: 237 (except *Laccobius* and *Helobata*), Winters 26: 49–58 (subtribes, genera and species of *Hydrobius-Crenitis*, *Laccobius*). **PARACYMUS** Fall 10: 100 (*degener* group). **ENOCHRUS** Horn 73: 126. **LACCOBIUS** Horn 73: 125. **CHÆTARTHRIA** Horn 73: 124. **Sphæridiinæ** Horn 90: 279. **DACTYLOSTERNUM** Schwarz 78: 355. **CERCYON** Fall 24: 249 (*melanocephalus* group), 24: 252 (*lugubris* group).

PLATYPHYLLIDÆ Desneux 06: G. I. 41 (genera).

BRATHINIDÆ Hubbard 94: 10.

LEPTINIDÆ Horn 82: 113 (genera).

SILPHIDÆ Lec. 53: 274, Horn 80: 219, Peyerimhoff 06: 117 (subfam. of larvæ), Jeannel 11: 95 (subfam. of larvæ), Henricksen 22: 252, 255 (subfam. of larvæ). **NICROPHORUS-SILPHA** Portevin 26: 1. **NICROPHORUS** Portevin 23–25. **PINODYTES** Horn 92: 46. **Catopinæ** (*Choleviini*) Peyerimhoff 06: 117 and 07: 87 (genera of larvæ). **CATOPS** (*Choleva*) Blanchard 15: 294 (parts).

CLAMBIDÆ Lec. 53, Horn 80: 308–314.

SCYDMÆNIDÆ Lee. 52: 149, Csy. 97: 361. **EUMICRUS** Csy. 84: 87. **EUTHIA** Lec. 79: 513, Brendel 93: 283.

ORTHOPERIDÆ Lee. 52: 141, Matthews 99, Csy. 00: 60.

STAPHYLINIDÆ: *Micropeplinæ* Lec. 77: 250, Fauvel 78: 1–8.

Oxytelinæ: *Piestini* Lec. 77: 249, Fauvel 78: 10. *Eleusii* Horn 71: 297. **THORACOPHORUS** Horn 71: 332. **Phlœocharinæ** Fauvel 78: 24. **Proteini** Fauvel 78: 190. **Omaliini** Fauvel

78: 196-255. ANTHOBIUM Csy. 94: 426 (part). PHLEONOMUS Csy. 94: 424. LATHRIMÆUM Csy. 94: 416. AMPHICHRONUM Csy. 86: 240. PARALESTEVA-TRILEA Csy. 94: 398-402 (genera and species). OROBANUS Csy. 86: 247, 94: 405. PELECOMALIUM Csy. 86: 241, 94: 413. GEODROMICUS Csy. 94: 406. OXYTELINI Fauvel 78: 91 (incomplete). COPROPHILI Horn 95: 237 (genera). ANCYROPHORUS Lec. 77: 241. TROGOPHLÆUS Lec. 77: 243 (groups), Csy. 89: 322, 95: 450. APOCELLUS Lec. 77: 247, Csy. 84: 153. APLODERUS Csy. 89: 73. OXYTELUS Lec. 77: 234, Csy. 94: 381. BLEDIUS Lec. 77: 217. THINOBIUS Lec. 77: 239, Csy. 89: 78. OSORIINI Notman 25: 2. (genera). OSORIUS Notman 25: 6.

Steninæ Csy. 84: 1.

Euaesthetinæ: Euaesthetini Csy. 84: 19-29.

Pæderinæ: PINOPHILINI Csy. 10: 192. PALAMINUS Lec. 78: 396. Pæderini Csy. 15: 17. CRYPTOBIA Lec. 78: 390, Horn 84: 85. PÆDERUS Austin 76: 7, Lec. 78: 395. LATHROBIA Lec. 80: 174. STILICI-SUNII Lec. 80: 178-180.

Staphylininæ: XANTHOLININI Csy. 06: 356. GAUROPTERUS-GYROHYPNUS Lec. 80: 171. LEPTACINUS-HESPEROLINUS Lec. 80: 168. LEPTOLINUS-MICROLINUS Lec. 80: 171. STAPHYLININI: NEOBISNIUS-HESPERUS Horn 84: 177. BELONUCHUS Csy. 15: 445. STAPHYLINUS Horn 79: 186. ONTHOLESTES Horn 79: 198. Quediini Horn 78: 149. TANYGNATHUS Csy. 15: 424. ACYLOPHORUS Lec. 78: 388. QUEDIUS-MEGAQUEDIUS Csy. 15: 397 (genera and subgen.; species except *Quedius*, *Distichalius*, and *Anastictodera*).

Oxyporinæ Lec. 77: 214.

Tachyporinæ Horn 77: 81. CONOSOMA Csy. 95: 436.

Trichophytinæ Csy. 97: 549.

Aleocharinæ Fenyes 12: 20 (Falagroid genera), 18: G. I. 173 (keys to tribes, no keys to genera, subgenera frequently keyed), 21: 33 (tribes). HYGRONOMINI Csy. 11: 215 (genera). BAMONA Csy. 06: 355. GYRONYCHA Csy. 94: 373. SILUSA Csy. 06: 344. DIAULOTA, AMBLOPUSA, LIPAROCEPHALUS Csy. 94: 353 (genera and species). THECTUROTA Csy.

94: 357. LEPTUSA Csy. 06: 351 (part), 06: 347 (*Ulitusa*). THINUSA Csy. 06: 352. BOLITOCHARA Csy. 94: 368, 06: 261. EUMICROTA-GYROPHÄNA Csy. 06: 277 (genera and species). MYRMEDONIA Csy. 94: 321, 06: 322 (subgen.). TRICHIUSA Csy. 94: 341, 06: 326. TRINOTUS Csy. 94: 316. ATHETA Csy. 06: 333 (certain subgen. and species). AMISCHA Csy. 94: 337 (*Colposura*). PONTOMALOTA Csy. 85: 297. GNYPETA-ANAULACASPIS Csy. 06: 183. Falagriæ Lee. 66: 372. ALEOCHARA-MASEOCHARA Csy. 06: 127. EMPLENOTA Csy. 94: 288 (*Polystoma*). HOMEUSA-DECUSA Csy. 00: 53. OXYPODA Csy. 06: 311 (part). OCALEA Csy. 06: 305. CHILOPORA Csy. 06: 306. ECHIDNOGLOSSA Csy. 85: 291 (*Colusa*), 94: 311. PHLŒPORA Csy. 06: 309.

PSELAPHIDÆ Lee. 50: 64, Brendel 66: 31, 80: 298 (genera), Brendel and Wickham 90: 216 and 91: 1, Raffray 08: G. I. 64 (genera). FARONINI Csy. 94: 434. EUPLECTINI Csy. 84: 93, 97: 557 (genera of part). EUPLECTINI-TRICHONYCHINI Csy. 94: 442. TRIMIOMELBA, ACTIUM, MELBA Lee. 78: 385 (*Trimium*), Brendel 92: 165 (*Trimium*). TRIMIOMELBA Csy. 97: 564. MELBA Csy. 97: 566. LEPTOPLECTUS Csy. 08: 267. OROPUS Csy. 86: 197, 08: 278. RHEXIS Csy. 08: 278. ARIONOPS Csy. 97: 582. ARTHMIUS Csy. 94: 473. BATRISODES Csy. 94: 467, 472 (parts), 08: 260 (part). NISAXIS, BRACHYGLUTA-RYBAXIS Lee. 80: 181 (*Bryaxis*). NISAXIS Csy. 97: 610. BRACHYGLUTA Csy. 94: 480 (*texana* group). REICHENBACHIA Csy. 94: 486 (part), 97: 586. RYBAXIS Csy. 94: 475. MACHÆRODES-BYTHINOPSIS Csy. 97: 614 (*Bythinus*). TYCHUS Csy. 94: 491. CYLINDRARCTUS Csy. 94: 488. PSELAPHUS Csy. 94: 495. BIOTUS-ATINUS Csy. 94: 497 (genera and species). PILOPIUS Csy. 97: 618, 94: 501 (*Sognorus*). CEDIUS Csy. 97: 625. TYRUS Csy. 97: 627.

CLAVIGERIDÆ see general references under Pselaphidæ; Lee. 66: 108 (genera).

PTILIIDÆ Matthews 84: 113. NANOSELLA Barber 24: 170.

SPHAERIIDÆ Matthews 99.

SCAPHIDIIDÆ Lee. 60: 321 (imperfect), Csy. 94: 510. SCAPHIDIUM-CYPARIUM Csy. 00: 55-64. SCAPHIDIUM Horn

75: 132. SCAPHIOSOMA Csy. 00: 58 (*Scaphiomierus*). BÆOCERA Csy. 00: 57.

HISTERIDÆ Horn 73: 273, Bickhardt 16–17: G. I. 166 (genera), Perris 77: 25 (genera of larvæ), Henriksen 22: 269 (certain genera of larvæ). **Hololeptinæ** Schæffer 07: 303, Carnochan 17: 378–398. **HISTER** Horn 70: 136 (*Spilodiscus*), Csy. 16: 206 (*Spilodiscus*), Hatch 26: 275 (*Spilodiscus arcuatus* group), 26: 275 (*interruptus* group), Csy. 94: 541 and 16: 288 (*merdarius* group), 94: 544 (*fædatus* group), 16: 286 (*incertus* group), 16: 214 (*sexstriatus* group). **TERETRIUS** Horn 80: 144. **PHELISTER** Csy. 16: 229. **OMALODES** Csy. 94: 535. **PSILOSCELIS** Hatch 26: 274. **EPIERUS** Csy. 94: 551. **CARCINOPS** Csy. 94: 554. **PAROMALUS-ISOMALUS** Horn 71: 297, Csy. 94: 555. **HETÆRIUS** Martin 22: 292. **PLEGADERUS** Horn 71: 142, Csy. 94: 575. **ANAPLEUS-BACANIUS** Csy. 94: 558–559. **ACRITUS** Lec. 80: 287. **SAPRINUS** Csy. 94: 562 (parts), Hatch 26: 273 (*insertus* group), Reichardt 26: 13 (groups of *Hypocaccus* and *Pachylorus*).

LYCIDÆ Lec. 51: 331, 81: 16. **LYCOSTOMUS** Schæffer 08: 63.

LAMPYRIDÆ Lec. 51: 331, 81: 29, Olivier 07: G. I. 53 (genera). **MICROPHOTUS** Fall 12: 46. **PHOTURIS** Olivier 86: 205.

PHENGODIDÆ Lec. 51: 331–81: 38–42. **ZARRHIPIS** Horn 85: 148, Fall 23: 111. **Mastinocerini** Schæffer 04: 214 (genera or part).

CANTHARIDÆ Lec. 51: 331, 81: 42. **SILIS** Van Dyke 18: 163. **MALTHODES** Fall 19: 33 (Calif.).

MELYRIDÆ: **Malachiinæ** Horn 72: 109 (except *Collops*). **COLLOPS** Horn 70: 80, Fall 12: 249. **MALACHIUS** Horn 74: 28 (part). **TANAOPS** Fall 17: 68. **MICROLIPUS** Fall 17: 74. **ATTALUS** Fall 17: 81. **Melyrinæ-Rhadalinæ** Csy. 95: 456. **Dasytini** Lee. 66: 349, Blaisdell 24: 17 (certain genera). **EUDASYTES** Blaisdell 24: 317. **CRADYTES** Blaisdell 24: 337. **LISTRUS** Blaisdell 21: 175. **DASYTE** Blaisdell 21: 185.

CLERIDÆ-CORYNETIDÆ Wickham 95: 247–253 (Ont., Que.), Schenkling 03: G. I. 13 (genera), Böving and Cham-

plain 20: 595 (genera of larvæ). *MONOPHYLLA* Schaeffer 11: 123. *CYMATODERA* Horn 76: 221, Wolcott 21: 284. *PLACOPTERUS* Wolcott 22: 67. *ENOCLERUS* Wolcott 22: 68 (*quadriguttatus* group). *TRICHODES* Horn 76: 231. *AULICUS* Wolcott 10: 245, Schaeffer 21: 152. *HYDNOCERUS-WOLCOTTIA* Chapin 17: 83 (genera). *CHARIESA* Wolcott 08: 70. *ORTHOPLEURA* Chapin 20: 53 (part).

OTHNIIDÆ Horn 68: 132.

CUPESIDÆ Lec. 74: 87, Csy. 97: 637, Barber and Ellis 20: 202.

CEPHALOIDÆ Lec. 74: 276, Horn 96: 38, Csy. 97: 650, 98: 193, Wickham 98: 152 (Ont., Que.).

CEDEMERIDÆ Lec. 54: 20, Horn 96: 382, Wickham 98: 149–151 (Ont., Que.), Lec. 66: 164 (genera), Seidlitz 99: 696–697 (genera of larvæ), Kuhnt 13: 1113 (genera of larvæ). *COPIDITA* Lec. 66: 164. *OXACIS* Lec. 66: 165.

MORDELLIDÆ Lec. 62: 43 (imperfect), Smith 82: 73.

RHIPIPHORIDÆ: *Pelecotomini* Schaeffer 04: 231. *MACROSIAGON* Horn 75: 121. *RHIPIPHORUS* Lec. 65: 96, 80: 210, Horn 92: 48 (groups).

MELOIDÆ Lec. 53: 328, Wickham 96: 31–35 (Ont., Que.), Mutchler and Weiss 24: 16 (N. J.), Wellman 10: 220 (tribes). *PYROTA* Lec. 66: 159, Csy. 91: 173 (*mylabris* group). *POMPHOPÆA* Lec. 66: 161, Horn 73: 115. *EPICAUTA* Horn 73: 95. *MACROBASIS* Horn 73: 88. *LYTTA* Horn 73: 103, 83: 311 (part), Fall 01: 296. *TETRAONYX* Horn 85: 116. *PLEUROPASTA-COLOSPASTA* Horn 78: 60, 91: 99, Wellman 09: 20–21. *Meloini* Horn 68: 139 (genera). *Sitarini* Cockerell 99: 417, Wellman 11: 16–17. *ZONITIS* Horn 75: 155. *GNATHIUM* Horn 70: 94. *NEMOGNATHA* Lec. 80: 212. *TRICRANIA* Lec. 60: 320.

EURYSTETHIDÆ Horn 83: 143, Van Dyke 18: 307.

PYTHIDÆ Wickham 99: 57–61 (Ont., Que.). *Pytho* Horn 88: 45. *CONONOTUS* Horn 68: 136. *RHINOSIMUS* Lec. 68: 4.

PYROCHROIDÆ Lec. 55: 274. *DENDROIDES* Horn 88: 46.

PEDILIDÆ Lec. 52: 91. *PEDILUS* Lec. 55: 272, Horn 71: 278, 83: 305, 74: 40 (Pacific species), Fall 15: 13 (Pacific

species). *EURYGENIUS-STEREOPALPUS* Lec. 55: 270-71.
MACRATRIA Lec. 55: 276.

ANTHICIDÆ Csy. 95: 625. *NOTOXUS-MECYNOTARSUS* Horn 84: 165. *TANARTHROUS* Wickham 06: 167 (*Tanarthropsis*).

EUGLENIDÆ Pic 02: G. I. 8 (genera). *VANONUS* Csy. 05: 162. *XYLOPHILUS* Lec. 55: 276, 78: 425.

CEROPHYTIDÆ Horn 86: 51.

CEBRIONIDÆ Horn 81: 82-84, Dalla Torre 12: G. I. 127 (genera).

PLASTOCERIDÆ Schwarz 07: G. I. 50 (genera), Horn 81: 76-81. *ENICONYX* Horn 85: 52. *APLASTUS* Horn 74: 24.

RHIPICERIDÆ Horn 81: 85-86.

ELATERIDÆ Lec. 53: 405, Schwarz 06-07: G. I. 49 (genera of part), Perris 77: 185 (genera of larvæ), Forbes 94: 31 (genera of larvæ), Kuhnt 13: 1107 (genera of larvæ), Henriksen 13: 43-48 (larvæ of Danish species). *ADELOCERA* Horn 79: xiv. *CHALCOLEPIDIUS* Fall 98: 239, Csy. 07: 29. *OISTUS* Hyslop 17: 127. *PYROPHORUS* Hyslop 17: 3-6. *LUDIUS* Horn 71: 319 (*Corymbites*; groups). *HEMICREPIDIUS* Horn 80: 69 (*Asaphes*). *Hypnoidini* Horn 91: 1-31. *PARALLELOSTETHUS*, *CRIGMUS* Horn 84: 46 (*Ludius*). *AGRIOTES* Lec. 84: 15. *DRASTERIUS* Lec. 84: 4. *ELATER-ECTAMENOGONUS* Lec. 84: 8. *ELATER* Horn 71: 307 (part). *MEGAPENTHES* Lec. 84: 6. *CARDIOPHORUS* Blanchard 89: 4. *HORISTOMUS* Horn 84: 34. *ESTHESOPUS* Horn 84: 41.

MELASIDÆ Lec. 52: 45, Horn 86: 6-50, 52-54. *MELASIS* Hopping 26: 227.

THROSCIDÆ Bonvouloir 59: 18, Horn 85: 198, Blanchard 17: 4. *DRAPTES* Schaeffer 16: 62. *PACTOPUS* Csy. 94: 585.

BUPRESTIDÆ Lec. 59: 187, Knull 25: 5 (Penn.), Kerremans 02-03: G. I. 12 (genera), Perris 77: 155 (genera of larvæ), Henriksen 13: 11 (genera of larvæ), Burke 17: 5 (genera of larvæ). *POLYCESTA* Lec. 58: 68, Schaeffer 06: 23. *ACMÆODERA* Horn 78: 4, Fall 99: 1-37. *TYNDARIS* Skinner 03: 238. *THRINCOPYGE* Horn 85: 147. *Chalcophorini* and *Euprestini* Csy. 09: 50. *HIPPOMELAS* Horn 68: 134, 83: 287-288.

DICERCA Crotch 73: 84. CINYRA Chamberlin 20: 243. BUPRESTIS Nicolay and Weiss 18: 81. MELANOPHILA Horn 82: 101. ANTHAXIA Horn 82: 106, Csy. 84: 172. CHRYSOBOTHRIS Horn 86: 65, 94: 368 (part), Fall 10: 46 (*californica* group). ACTENODES Schaeffer 04: 209. AGRILUS Crotch 73: 91, Horn 91: 277, Knull 20: 10 (*otiosus* group), Mutchler and Weiss 22: 16 (N. J.). PACHYSCHELUS Nicolay and Weiss 20: 138. BRACHYS Nicolay and Weiss 23: 61. TAPHROCERUS Nicolay and Weiss 20: 143. Mastogeniini Schaeffer 18: 214.

PSEPHENIDÆ, DRYOPIDÆ, HELMIDÆ Lec. 52: 41, Horn 70: 29. PSEPHENUS Csy. 94: 578, Blaisdell 23: 237. LUTROCHUS Csy. 94: 580. THROSCINUS Schaeffer 04: 205. HELMIS Darlington 27: 92 (part).

HETEROCERIDÆ Horn 90: 1-16, Fall 20: 213 (*Littorimus*).

DASCILLIDÆ, HELODIDÆ Lec. 53: 350, Horn 80: 76.

DERMESTIDÆ Lec. 54: 106, Jayne 82: 343, Csy. 00: 138, Erichson 48: 422 (generie groups of larvæ). PERIMEGATOMA Horn 75: 135.

BYRRHIDÆ Lec. 54: 13, Csy. 12: 1. Pedilophorini Wickham 03: 179. Limnichini Lec. 79: 514, Csy. 90: 145.

RHYSODIDÆ Lec. 75: 162.

OSTOMIDÆ Schaeffer 18: 190-201 (genera). NEMOZOMA, CORTICOTOMUS Van Dyke 15: 26. AIRORA Csy. 16: 108. TENEBROIDES Horn 62: 82.

NITIDULIDÆ, RHIZOPHAGIDÆ Murray 64: 211-414 (incomplete), Horn 79: 267. Nitidulinæ Grouvelle G. I. 5 (genera), Schaeffer 04: 204 (genera of part). POCADIUS Schaeffer 11: 117. OXYCNEMUS Schaeffer 11: 117. GLISCHROCHILUS Horn 75: 133. RHIZOPHAGUS Schaeffer 13: 309, Méquignon 14: 173.

MONOTOMIDÆ Horn 79: 257. BACTRIDIUM Csy. 16: 97.

CUCUJIDÆ Lec. 54: 73, Csy. 84: 69, 90: 496 (subfam.), Wickham 95: 25-29 (Ont., Que.), Peyerimhoff 02: 717 (genera of larvæ), Böving 21: 200 (subfam. of larvæ), 202 (genera of larvæ of Silvaninæ). ORYZÆPHILUS Chittenden 96: 198.

- CATOGENUS Csy. 16: 114. NARTHECIUS Csy. 90: 322.
INOPEPLUS-LAEMOPHLÆUS, DYSMERUS Csy. 16: 118 (genera
and subgenera). LAEMOPHLÆUS Csy. 16: 127 (*Silvanophlæus*). Brontini Csy. 90: 498 (genera).
- EROTYLIDÆ Lec. 54: 158, Crotch 73: 349, Wickham 94: 339–
342 (Ont., Que.). Languriinæ Fowler 08: G. I. 78 (genera). LANGURIA Schaeffer 04: 198. Erotylinæ Kuhnt 09:
G. I. 88 (genera). DACNE Csy. 16: 153.
- CRYPTOPHAGIDÆ Csy. 00: 75. DIPLOCCELUS Horn 78: 606.
TOMARUS Horn 95: 240.
- MYCETOPHAGIDÆ Lec. 56: 12 (imperfect), Csy. 00: 128.
MYCETOPHAGUS Horn 78: 603. LITARGUS Horn 78: 606, Csy.
16: 174 (*Litargellus*).
- COLYDIIDÆ Horn 78: 555. EUCLICONES Csy. 97: 632. BITOMA
Schaeffer 07: 136. LASCONOTUS Kraus 12: 27. CERYLON Csy.
97: 634.
- MURMIDIIDÆ Horn 78: 555–592, Csy. 95: 452.
- LATHRIDIIDÆ Lec. 55: 299, Fall 99: 101, Belon 02: G. I. 3
(genera). DASYCERUS Horn 82: 117.
- MYCETAEIDÆ, ENDOMYCHIDÆ Lec. 53: 357, Crotch 73:
359, Wickham 94: 337–339 (Ont., Que.).
- PHALACRIDÆ Lec. 56: 15 (imperfect), Csy. 90: 89. PHALACRUS Csy. 16: 35. OLIBRUS Csy. 16: 45. ACYLOMUS Csy. 16:
74. STILBUS Csy. 16: 55. LEPTOSTILBUS Csy. 16: 71.
- COCCINELLIDÆ Crotch 73: 363 (except *Scymnus*), Csy. 99:
71, Wickham 94: 297–306 (Ont., Que., except *Scymnus*),
Gage 20: 27 (larvæ of certain genera and species). HYPERASPIS Lec. 80: 186, Nunenmacher 11: 73 (*lateralis* group).
BRACHYACANTHA Leng 11: 289. MICROWEISEA Horn 95: 82.
SCYMNUS Horn 95: 87, Wickham 99: 82 (Ont., Que.).
CEPHALOSCYNMUS Horn 95: 111. DELPHASTUS Horn 95: 83.
PSYLLOBORA Leng 03: 210. Coccinellini Leng 03: 36 (genera allied to *Hippodamia*), 03: 194 (genera allied to *Coccinella*). CERATOMEGLLA Leng 03: 38 (*fuscilabris* group).
HIPPODAMIA Leng 03: 40, Timberlake 19: 167 (*convergens* group), 171 (*glacialis* group). COCCINELLA Leng 03: 196

(subgenera), 197 (subg. *Coccinella*). **CYCLONEDA** Leng 03: 202 (*sanguinea* group). **ADALIA** Leng 03: 194. **ANISOCALVIA** Leng 03: 206. **NEOMYSIA** Leng 03: 208. **Chilocorini** Leng 08: 34 (genera). **AXION** Leng 08: 34. **CHILOCORUS** Leng 08: 36. **EXOCHROMUS** Leng 08: 36-41.

ALLECULIDÆ Csy. 91: 69, Lec. 66: 137 (genera), Seidlitz 98: 7-9 (genera of larvæ), Kuhnt 13: 1119 (genera of larvæ). **HYMENORUS** Lec. 66: 135. **MYCETOCHARA** Lec. 78: 616. **LYSTRONYCHUS** Horn 94: 433.

TENEBRIONIDÆ Horn 70: 253, Csy. 90: 391-393 (tribes of *Tenebrioninæ*), Seidlitz 98: 211-216 (genera of larvæ), Kuhnt 13: 1120 (genera of larvæ).

Tentyriinæ Csy. 07: 275. **Eurymetopini** Csy. 90: 330, 347. **EMMENASTRICHUS** Horn 94: 413. **TRIMYTIS** Horn 94: 412. **PROMPTOPION-CHILOMETOPON** Csy. 90: 366. **POLEMIOTUS-PHENONEUS** Csy. 91: 53-54. **MICROMES, OXYGONODERA, STIBIA** Horn 74: 29. **EDROTES** Csy. 90: 174, 502. **Zopherini** Horn 67: 162, Csy. 07: 35-38. **Nosodermini** Csy. 07: 42-44. **USECHUS** Csy. 90: 176. **ARÆOSCHIZUS** Csy. 90: 368, Horn 90: 339. **DACODERUS** Horn 76: 219, 93: 139. **ANEPSIUS** Csy. 91: 55. **SCHIZILLUS** Blaisdell 21: 207. **Asidini** Csy. 12: 70, Horn 94: 416 (part of *Asida*). **MICROSCHATIA** Horn 93: 140.

Scaurinæ: ARGOPORIS Csy. 90: 405. **EULABRIS** Csy. 91: 59.

Blaptinæ: Eleodini Blaisdell 09: 1-524. **ELEODES** Lec. 58: 180 (imperfect), Blaisdell 21: 132 (*vandykei* group).

Coniontinæ Csy. 08: 51. **Coniontini** Horn 76: 200 (genera). **EUSATTUS** Lec. 66: 112, Horn 83: 304, 94: 423. **CONIONTIS-CONIONTELLUS** Csy. 90: 372, 388. **CÆLOTAXIS** Horn 76: 201, Csy. 90: 177. **CÆLUS** Csy. 90: 178, 95: 611, Blaisdell 19: 318, 323.

Pedininæ: ULUS-CONIBIOSOMA, TRICHOTON Csy. 90: 409, 95: 616 (genera). **CONIBIUS-NICIBIOTES** Csy. 95: 617-622.

Opatriinæ: ALAUDES Blaisdell 19: 312.

Phaleriinæ Lec. 66: 125.

Bolitophaginæ Csy. 90: 486, 95: 623 (genera).

Ulominæ Lec. 66: 130 (genera of Hypophlœini). **LATHETICUS** Chittenden 10: 137. **ULOMA** Lee. 66: 124. **APHANOTUS** Csy. 90: 483. **HYPOPHLÆUS** Lec. 78: 424.

Tenebrioninæ St. George 24: 10 (genera of larvæ). **POLOPINUS** Csy. 24: 326. **CŒLOCNEMIS** Csy. 24: 314. **TENEBRIÖ** St. George 24: 10 and 26: 106 (larvæ). **ALÆPHUS** Fall 05: 276, 07: 174.

Adeliinæ: **CRATIDUS** Csy. 90: 407.

Helopinæ: **HELOPS** Horn 80: 152 (apterous species), Blaisdell 21: 230 (part).

Strongyliinæ Lec. 78: 425.

LAGRIIDÆ Horn 88: 28, Seidlitz 98: 312 (genera of larvæ). **ARTHROMACRA** Leng 17: 17. **STATIRA** Schaeffer 05: 179, Leng 23: 185.

MONOMMIDÆ Horn 72: 150.

MELANDRYIDÆ Horn 88: 43 (tribes), Seidlitz 98: 413, 416, 419, 438, 465, 503, 506, 588, 619, 646, 678 (genera except **Scaptiini**), 376–381 (genera of larvæ), Kuhnt 13: 1117 (genera of larvæ). **TETRATOMINI** Csy. 00: 166. **PISENUΣ** Horn 78: 608 (*Triphyllyus*). **EUSTROPHINUS-HOLOSTROPHUS** Horn 88: 32–36. **HALLOMENUS** Lec. 78: 619. **ORCHESIA** Horn 88: 37. **Melandryini** Lee. 66: 146 (genera of part). **MELANDRYA-EMMESA** Seidlitz 98: 619, 626. **SERROPALPUS** Seidlitz 98: 582. **DIRCÆA-ABDERA** Horn 88: 39 (*Hypulus*). **Scaptiini** Lec. 66: 144 (genera). **LACCONOTUS**, **MYCTERUS** Horn 79: 336–339.

PTINIDÆ Fall 05: 99–127.

ANOBIIDÆ Fall 05: 127–283, Lec. 65: 22 (except *Euceratocerus* and *Ptilinus*), Perris 77: 248 (genera of larvæ), Böving 27: 57 (genera of larvæ). **EUCERATOCERUS** Csy. 98: 61. **TRICHODESMA** Horn 94: 388. **CATORAMA** Lec. 78: 410, Horn 94: 390 (part). **PTILINUS** Csy. 98: 61. **CÆNOCARA** Lec. 78: 412.

BOSTRICHIDÆ Horn 78: 540, Lesne 96: 95–121, 97: 319–350, 98: 438–621, 00: 473–639, 06: 445–561, 09: 471–594 (species of world). **Bostrichini** Csy. 98: 65 (genera). **DENDRO-**

BIELLA-STEHANOPACHYS Csy. 98: 67-73 (except *Lichenophanes*).

LYCTIDÆ Kraus 11: 116. LYCTUS Csy. 90: 324, 91: 13.

SPHINDIDÆ Csy. 98: 921 (except *Eurysphindus*).

CISIDÆ Lec. 74: 87, Csy. 98: 77, Dury 17: 4 (except previous species of *Cis*).

SCARABÆOIDEA Chapuis and Candèze 55: 114 (groups of larvæ), Perris 77: 98-103 (genera of larvæ), Kuhnt 13: 1085 (groups of larvæ), Fowler 12: 203 (groups of larvæ), Henriksen 25: 135 (fam. of larvæ).

SCARABÆIDÆ Arrow 09: 484 (subfam.), Fowler 12: 210, 212 (subfam.), Wickham 94: 197-207, 229-234, 259-262 (Ont., Que.), Dawson 24: 4 (Nebr.), Henriksen 25: 143, 153, 159, 165 (groups and certain genera of larvæ), Böving 21: 58 (larvæ of certain genera of Melolonthinæ, Rutelinæ, and Dynastinæ).

Coprinæ: CANTHON Lec. 59: 1-58, von Harold 68: 1-144, Horn 70: 44, Blanchard 85: 164. CHŒRIDIUM Horn 75: 137, Blanchard 85: 170. PINOTUS, COPRIS Horn 70: 42, Schaeffer 06: 255. PHANÆUS Blanchard 85: 168. ONTHOPHAGUS Horn 75: 137, Schaeffer 14: 137.

Ægialiinæ Horn 71: 293, Lee. 78: 610, Horn 87: 98, Schmidt 13: G. I. 150 (genera).

Aphodiinæ Horn 70: 110-134 and 71: 284-297, 87: 1-110, Schmidt 10: G. I. 110 (genera). APHODIUS Garnett 20: 140 (*subeolus* group).

Ochodæinæ Lec. 68: 51, Horn 76: 180, Fall 09: 30, Schmidt 13: G. I. 150 (genera).

Hybosorinæ Schmidt 13: G. I. 150 (genera).

Geotrupinæ Schaeffer 06: 250 (genera, and species except *Odon-tæus* and *Geotrupes*), Boucomont 02: G. I. 7 (genera). **Bolbocerini** Horn 70: 48-50 (imperfect). BOLBOCEROSOMA Dawson and McColloch 24: 10. GEOTRUPES Horn 68: 313-320, 80: 145, Blanchard 88: 105.

Pleocominæ Lec. 74: 81, Horn 88: 04, 88: 234.

Glaphyrinæ Horn 82: 119.

Troginæ: GLARESIS Fall 07: 25. TROX Lec. 54: 211, Horn 74: 1, 6.

Melolonthinæ Lec. 56: 225–288. ONCERUS Horn 94: 395. CHNAUNANTHUS Horn 94: 395. DIPILOTAXIS Fall 09: 11. PHYLLOPHAGA Horn 87: 209, Smith 88: 503 (*fusca* group), Forbes 91: 48 (Ill.), 94: 141 (Ill.). LISTROCHELUS Horn 78: 137. PHYTALUS Horn 85: 119. POLYPHYLLA-PLECTRODES Csy. 14: 307 (genera). POLYPHYLLA Horn 81: 73, Csy. 91: 17, 14: 323. THYCE Csy. 90: 170, 14: 308. DICHELONYX Horn 76: 186, Fall 01: 280. CœNONYCHA Horn 76: 192. MACRODACTYLUS Horn 76: 184. HOPLIA Lec. 80: 191, Essig 26: 445 (certain Calif. species).

Rutelinæ Csy. 15: 1. RHOMBONALIA-PACHYSTETHUS Horn 84: 157 (*Anomala*), Schaeffer 07: 69 (*Anomala*). OLIGANOMALA, STRIGODERMA, ALAMONA Schaeffer 07: 73. COTALPA-POCALTA Horn 67: 169, 71: 338, Wickham 05: 1–4.

Dynastinæ Csy. 15: 107. CYCLOCEPHALINI Lec. 63: 79, Horn 71: 335. LIGYRODES-OXYGRYLIUS Lec. 47: 86, 56: 19 (imperfect), Horn 75: 143. PSEUDAPHONUS-ORIZABUS Lec. 56: 21 (imperfect). ANASTRATEGUS-STRATEGUS Horn 75: 143. PHILEURINI Horn 80: 147.

Cetoniinæ Csy. 15: 274. EUPHORIA Horn 79: 397, Fall 05: 272 (*fulgida* group). CREMASTOCHEILUS Horn 70: 339, 80: 382, 85: 126 (part). TRIGONOPELTASTES-TRICHIOLINUS Horn 76: 194.

LUCANIDÆ, PASSALIDÆ Fuchs 82: 49, Wickham 99: 21–25 (Ont., Que.), Henriksen 25: 135 (larvæ of Danish species). PLATYCERUS Csy. 85: 332. Passalidæ Kuwert 96–98.

CERAMBYCIDÆ Lec. 50: 311–340 and 51: 5–38 and 52: 99–112, 139–178, Wickham 97: 81–88, 105–111, 148–153, 169–173, 187–193, 201–208 and 98: 37–44 (Ont., Que.), Leng 84: 7 (subfam.), Craighead 23: 26–138 (larvæ), Webb 12: 115–155 (genera of larvæ), Kuhnt 13: 1122 (genera of larvæ), Smith 89: 158 (subfam. of larvæ), Henriksen 14: 89–93 (larvæ of Danish species).

Prioninæ Leng 84: 8–11, 57–60 (except *Parandrini*), Craighead 23: 28 (genera of pupæ), Lameere 19: G. I. 172 (genera). **PARANDRA** Csy. 12: 216. **ARCHODONTES-STENODONTES** Csy. 12: 221 (genera and subgenera). **ERGATES** Csy. 90: 491. **DEROBRACHUS** Lameere 11: 274, Csy. 12: 230 (*Orthosoma*), Schaeffer 02: 235 (s. str.). **PRIONUS** Csy. 12: 231, 24: 209 (except *Neopolyarthron* and *Antennalia*). **TRAGOSOMA** Csy. 90: 491, 99: 98.

Cerambycinæ Leng 84: 60–64, 95–101, 112–119 and 85: 28–35, 130–136 and 86: 27–32, 60–63, 81–83, 102–103, 118–120 and 87: 192–200, 4–8, 23–24, 44 and 90: 9–13, 65–69, 97–103, 104–110, 156–160, 185–200, 213–214; Lec. 62: 38 (groups). **Disteniini** Boppe 21: G. I. 178 (genera). **SONDYLIS** Csy. 12: 218. **ASEMUM** Csy. 12: 257. **NOTHORHINA** Csy. 12: 263. **TETROPIUM** Csy. 91: 22. **CRIOPHALUS** Lec. 73: 169. **ŒME** Csy. 24: 251. **TESSAROPA** Horn 85: 197, 95: 247. **EBURIA** Lec. 73: 179. **ROMALEUM-ANOPLIUM**, **PSEUDIBIDION** Csy. 12: 290 (genera). **ROMALEUM** Lec. 73: 181. **HYPERMALLUS-ELAPHIDION**, **ANEFLOMORPHA** Lec. 73: 182. **HYPERMALLUS** Csy. 12: 299. **ANEPYRA-ANEFLUS** Lec. 73: 185. **HETERACHTHES** Csy. 12: 307. **Lepturini**, **Dorcasomini** Boppe 21: G. I. 178 (genera: does not include Casey's genera). **RHAGIUM** Csy. 13: 194. **HAPALOSALIA** Csy. 13: 200. **CENTRODERA** Van Dyke 27: 102 (Pacific species). **STENOCORUS** Csy. 13: 206. **BRACHYSOMIDA-ACMÆOPS** Lec. 73: 208, Csy. 13: 219. **ANTHO-
PHILAX** Nicolay 17: 39. **JUDOLIA-LEPTURA** Lec. 73: 215. **BRACHYLEPTURA** Csy. 13: 252 (*vagans* group). **STRANGALIA** Csy. 13: 258 (*obliterata* group). **XESTOLEPTURA** Csy. 13: 263 (*crassipes* group). **STROPHIONA** Csy. 13: 265. **LEPTURA** Csy. 13: 266 (groups), 269 (*Cercolia*), 270 (*Dorcasina*). **TYPOCERUS** Lec. 73: 213, Csy. 13: 274 (*velutinus* group). **OPHISTOMIS** Lec. 73: 212 (*Strangalia*). **DESMOCERUS** Horn 81: vii, Webb 05: 105. **NECYDALIS** Van Dyke 23: 52. **ROSALIA** Csy. 12: 313. **HYLOTRUPES** Csy. 24: 232. **ANACOMIS** Csy. 12: 272. **MERIUM-PHYTATODES** Csy. 12: 275–287. **Clytini** Csy. 12: 347 (genera). **CYLLENE** Horn 80: 134. **XYLOTRECHUS** Csy. 12: 360, 363, 365 (parts).. **TRIDOCYLTUS**

Csy. 12: 374 (*Paraclytus*). MICROCLYTUS, CYRTOPHORUS, TILLOMORPHINI Schaeffer 04: 223 (genera). RHOPALOPHORA Csy. 91: 30. STENOSPHENUS Horn 85: 177. ANCYCLOCERA Csy. 94: 585, 24: 251. STENASPIS Csy. 12: 319. TRAGIDION Csy. 94: 586, 12: 321. AETHECERINUS Horn 80: 133. OXOPPLUS Horn 85: 175. TYLOSIS Csy. 12: 341. CROSSIDIUS Lec. 73: 196, Csy. 91: 31. SPHAENOTHECUS Csy. 91: 34, 12: 333 (subgenera). BATYLE-BATYLEOMA Horn 78: 41, Csy. 12: 326 (genera). BATYLE Csy. 12: 327. DENDROBIAS Csy. 12: 315.

LAMIINÆ Hamilton and Leng 96: 101, Lec. 62: 38 (groups). IPOCHUS Csy. 91: 44, 13: 279. MONEILEMA Lec. 73: 229, Horn 85: 180, Csy. 13: 281. PSENOCERUS Csy. 91: 46. MONOCHAMUS Lec. 73: 231, Horn 85: 190, Csy. 13: 291, Hopping 22: 253. PTYCHODES Csy. 94: 593. DORCHASCHEMÀ HORN 85: 194. GOES HORN 85: 193, Csy. 13: 296. MICROGOES Csy. 13: 298. SYNAPHÆTA Csy. 13: 299. ACANTHODERINI, ACANTHOCHININI, GRAPHISURINI HORN 80: 115-133. ACANTHODERINI Csy. 13: 301 (genera). LEPTOSTYLUS-ASTYLIUS Lec. 73: 232. LEPTOSTYLUS Csy. 13: 317. NYSSODRYSINA-LEIOPUS Lec. 73: 235 (part). LEIOPUS Csy. 13: 310 (part). HYPERPLATYS Csy. 91: 50, 13: 324. GRAPHISURINI-DECTINI Csy. 13: 332-341. POGONOCHERUS Lec. 73: 237, HORN 78: 42, Schaeffer 09: 102, Fall 10: 7, Csy. 13: 345. EUPOGONIUS HORN 85: 196. ONCIDERES HORN 85: 194, Schaeffer 06: 18, Csy. 13: 352. ATAXIA Fall 07: 85. SPALOCOPSIS Csy. 91: 51, 13: 355. SAPERDA Lec. 73: 238, Felt and Joutel 04: 15, Mutchler and Weiss 23: 21 (N. J.). MECAS HORN 78: 44, Csy. 13: 360. OBEREA HORN 78: 45, Csy. 13: 364, Mutchler and Weiss 23: 25 (N. J.). TETROPS HORN 78: 50. TETRAOPES HORN 78: 48, Csy. 13: 375.

CHRYSOMELIDÆ Crotch 73: 19-83 (subfam. and genera), Wickham 96: 67-74, 151-157, 171-174, 199-203 and 97: 7-12, 29-37, 60-63 (Ont., Que.), Sanderson 01: 29 (subfam. of larvæ), MacGillivray 03: 294 (larvæ, pupæ, adults of subfam. DONACIINÆ and GALERUCINÆ).

SAGRINÆ Jacoby 03: G. I. 14 (genera).

- Donaciinæ** Schaeffer 25: 45, Jacoby and Clavereau 04: G. I. 21 (genera). **DONACIA** Lec. 51: 310, Crotch 73: 20, Leng 91: 159, Schaeffer 19: 308 (subgenera), MacGillivray 03: 314 (eggs, larvæ, pupæ, adults of N. Y.).
- Orsodacninae** Horn 92: 1-7 (no keys to genera). **ORSODACNE** Hatch 24: 307. **ZEUGOPHORA** Wickham 99: 86 (Ont., Que.).
- Criocerinae:** **CRIOCERIS** Pic 06: 121 (var. of *asparagi* L.). **LEMA** Crotch 73: 24.
- Megascelinæ** Jacoby and Clavereau 05: G. I. 32 (genera).
- Clytrinæ** Clavereau 07: G. I. 49, 49 bis (genera). **ANTIPUS** Ortenburger and Hatch 26: 147 (part). **Megalostomini** Horn 92: 10-18 (no key to genera). **SAXINIS** Horn 92: 8, Schaeffer 06: 226.
- Fulcidacinæ** (*Chlamydinæ*) Achard 14: G. I. 160 (genera). **BOLOSCHESIS** (*Chlamys*) Linell 97: 476, Schaeffer 06: 229, 26: 182. **EXEMA** Crotch 73: 30.
- Cryptocephalinæ** Lec. 80: 196-209 (no key to genera), Fall 15: 300 (certain genera). **GRIBURIUS** Crotch 73: 32. **PACHYBRACHYS** Fall 15: 308. **MONACHULUS** Crotch 73: 30.
- Eumoplinæ** Horn 92: 195. **NODONATA** Schaeffer 06: 238. **GRAPHOPS** Lec. 84: 26. **FIDIA** Schaeffer 04: 227. **MYOCHROUS** Schaeffer 04: 228. **CHRYSOCHUS** Horn 85: 156.
- Chrysomelinæ** Stal 62: 7 (genera). **Timarchini-Chrysomelini** Rogers 56: 29 (imperfect). **Prasocurini-Chrysomelini** Crotch 73: 47-51. **PRASOCURIS** Lee. 66: 9. **Chrysomelini** Linell 96: 195. **PHÆDON** Crotch 73: 52. **GASTROIDEA** Crotch 73: 51. **PHYTODECTA**, **SPARTOPHILA** Notman 21: 76 (genera). **PHYTODECTA** Schaeffer 24: 140. **PHYLLECTHRUS** Horn 96: 376.
- Galerucinæ** Horn 93: 57, Lee. 65: 213 (*Galeruca*, et al.). **TRIRHABDA** Lec. 65: 219, Schaeffer 06: 242. **GALERUCELLA** Fall 24: 82 (N. Eng.), Mutchler and Weiss 26: 14 (N. J.). **MONOXIA** Lee. 65: 221. **DIABROTICA** Lec. 65: 211, 68: 58 (groups). **PHYLLOBROTONA** Lec. 65: 206, Horn 96: 378. **LUPERODES** Lec. 65: 208. **PHYLLECTHRUS** Lec. 65: 207.
- Halticinæ** Horn 89: 163, Heikertinger 25: 54 (genera). **ŒDIONYCHIS** Crotch 73: 57. **DISONYCHA** Crotch 73: 64. **HALTICA**

- Woods 18: 154-155 (adults, eggs, larvæ, pupæ of Me.).
LACTICA Horn 80: 151, Schaeffer 06: 251. LUPERALTICA Horn 93: 134. CHÆTOCNEMA Lee. 78: 419. LONGITARSIS Blatchley 21: 18 (e. N. A.).
- Hispinæ Horn 83: 290, Weise 11: G. I. 125 (genera). ANOPLITIS Crotch 73: 80. MICRORHOPALA Crotch 73: 82, Van Dyke 25: 173 (*rubrolineata* group).
- Cassidinæ Barber 16: 126.
- MYLABRIDÆ** Horn 73: 311. MYLABRIS Fall 10: 160-188 (parts). ZABROTES Horn 85: 156.
- RHYNCOPHORA Lec. and Horn 76: 1-455 (the few genera for which no specific keys are provided are usually those monographed shortly before and cited below), Blatchley and Leng 16: 1-682 (e. N. A.), Pierce 16: 462 (superfam.).
- BRENTIDÆ Horn 72: 127, Schaeffer 15: 52, von Schönfeldt 08: G. I. 65 (genera).
- PLATYSTOMIDÆ**: ANTHRIBUS Schaeffer 04: 236.
- BELIDÆ** Lea and Bovie 09: G. I. 91 (genera).
- CURCULIONIDÆ** Pierce 19: 22 (certain subfam.), Cotton 21: 605-606 (adults, larvæ, pupæ attacking corn).
- Rhinomacerinæ Pierce 09: 325.
- Rhynchinæ Pierce 13: 365 (genera). AULETES Pierce 09: 326. EUGNAMPTUS Pierce 09: 329, 13: 366. RHYNCHITES Pierce 09: 330, 13: 370 (*bicolor* group).
- Apioninæ: APION Smith 84: 41, Fall 98: 105, Wagner 13: G. I. 130 (genera).
- Tachygoninæ Csy. 97: 679.
- Otiorhynchinæ Pierce 13: 372-426 (genera). Ophryastini Pierce 09: 341 (genera), Bovie 08: G. I. 69 (genera). TOSASTES Pierce 09: 344, 13: 376. Tropiphorini (Strangaliodes) Pierce 09: 346 (genera), 13: 377 (genera; species except *Anametis*). AMOTUS Csy. 88: 244. DYSLOBUS-ADALERES Csy. 95: 809. DYSLOBUS Csy. 88: 247 (*Amnesia*). PANSCOPUS Buchanan 27: 27. PANDELETEIUS Schaeffer 08: 216, Pierce 13: 402. Alceidini Bovie 08: G. I. 71 (genera).

SCYTHROPUS Csy. 88: 275. MITOSTYLUS Pierce 13: 410. BRADYRHYNCOIDES-GRAPHORHINUS Pierce 13: 412. EPICÆRUS Csy. 88: 234, Pierce 13: 414. PANTOMORUS Pierce 13: 416. PARAPTOCHUS-ARAGOMUS Csy. 88: 268 (genera).

Curculioninæ Pierce 19: 26 (tribes of *Orchestinæ*), 29 subfam. of Orobittidæ). SITONA Csy. 88: 280. HYPERA, PHYTONOMUS Titus 11: 395. LEPYRUS Csy. 95: 821, Hamilton 96: 122. HYPERODES Dietz 89: 28. PISSODES Hopkins 11: 30. EUCLYPTUS, PHYLLOTROX Fall 13: 42-43 DORYTOMUS Csy. 92: 360. NOTARIS Chittenden 06: 114, Buchanan 27: 37. **Smicronychi** Dietz 94: 115. SMICRONYX Csy. 92: 382. PROMECOTARSUS Csy. 92: 408. THYSANOCNEMIS Csy. 92: 425. TYCHIUS Csy. 92: 411, 10: 132 (part), 136 (*Microtychius*). OTIDOCEPHALUS Horn 73: 448, Csy. 92: 426, Schaeffer 07: 78. MAGDALIS Horn 73: 452, Fall 13: 24-28. TRICHOMAGDALIS Pierce 16: 466. CURCULIO (*Balaninus*) Horn 73: 457, Blanchard 84: 106, Csy. 97: 655, Chittenden 08: 19-26, 27: 138-147. ANTHONOMINI Dietz 91: 177, Pierce 16: 67 (subtribes). ANTHONOMUS Chittenden 25: 130 (*Coccotorus*). EPIMECHUS Fall 13: 63. ORCHESTES Horn 73: 461, 78: 621. CIONINI Bovie 09: G. I. 98 (genera). MECINI Bovie 09: G. I. 92 (genera). GYMNETRON Pierce 19: 28. MIARUS Csy. 10: 142, Pierce 19: 34. **Cleonini** Csy. 91: 176. STERNECHUS Csy. 95: 426 (*Pectromodes*). LÆMOSACCINI Bovie 09: G. I. 89 (genera). BARINI Lee. 68: 361 (*Baridius*; key imperfect), Csy. 92: 460. ODONTOCORYNUS Csy. 20: 412. CENTRINOPUS Csy. 20: 437. NICENTRUS Csy. 20: 444. BARILEPSIS Csy. 20: 477. SIBARIOPS Csy. 20: 478. DIRABIUS Csy. 20: 471. IDIOSTETHUS Csy. 20: 499. HAPLOSTETHOPS Csy. 20: 496. EISONYX Pierce 16: 472. ZYGOPINI Csy. 97: 667 (genera). ZYGOPUS Csy. 92: 459. CYLINDROCOPTURUS Csy. 97: 699, Fall 05: 55 (*mammillatus* group). **Ceutorhynchini** Dietz 96: 387. PHYRDENUS Csy. 92: 457. CONOTRACHELUS Schaeffer 06: 341, Barber 19: 55 (*serpentinus* group), Mutchler and Weiss 25: 19 (N. J.). RYSSEMATUS Horn 73: 463, Csy. 95: 832. CHALCODERMUS Horn 73: 465. TYLODERMA Horn 73: 467, Csy. 92: 448. GERSTÆCKERIA Pierce 12: 159-167.

Thecesterninæ Pierce 09: 334.

Cossoninæ: HIMATINUM Csy. 92: 690. COSSONUS Horn 73: 437, Van Dyke 15: 4, 16: 74 (parts). ALLOMIMUS Csy. 92: 692. PHLÆOPHAGUS Horn 73: 443. PSEUDOPENTARTHROPHUS Csy. 92: 696. PENTARTHINUS Csy. 92: 698. RHYNCOLUS Horn 73: 144.

Calendrinæ Cotton 24: 5 (genera of larvæ). SCYPHOPHORUS Horn 73: 409. CACTOPHAGUS Csy. 92: 685. CALENDRA (*Sphenophorus*) Horn 73: 411, Chittenden 05: 51 (*pertinax* group), 24: 146 (*aequalis* group). SITOPHILUS (*Calendra*) Csy. 92: 685. YUCCABORUS Csy. 92: 687.

PLATYPODIDÆ Chapius 66: 1-344, Strohmeyer 14: G. I. 163 (genera), Blackman 22: 38 (Miss.).

SCOLYTIDÆ Hopkins 15: 224 (subfam.), Hagedorn 10: G. I. 111 (genera), Zimmermann 68: 142, 147 (certain genera), Lee. 68: 151 (genera of Tomicini and Hylurgini), Eichoff 78: 1-531 (Tomieinae), Swaine 18: 38 (Canada), Blackman 22: 38-121 (Miss.), Chamberlin 18: 11 (Douglas Fir species). SCOLYTUS Lee. 68: 165. DENDROCTONUS Lee. 68: 173, Hopkins 09: 69-78 (adults and larvæ). PHLÆOSINUS Swaine 24: 146-147 (parts). PHLÆOSINUS-LEPERISINUS, HYLURGOPINUS, PSEUDOHYESINUS Lee. 68: 169 (*Hylesinus*). MICRACINÆ Blackman 20: 7. CRYPHALINI Hopkins 15: 7-8. IPS Hopkins 15: 54 (*concininus* group), Swaine 25: 197 (*concininus* group), 24: 71 (*confusus* group). GNATHOTRICHUS-PITYOPHTHORUS Lee. 68: 154 (*Cryphalus*). AMBROSIODMUS-DRYOCETES Hopkins 15: 9-10. ANISANDRUS Swaine 10: 165.

STREPSIPTERA Pierce 09: 1-232, 11: G. I. 121 (genera).

SUPPLEMENTARY BIBLIOGRAPHY

(The titles in this bibliography are abbreviated to save space, and the bibliography is otherwise limited as explained in the introduction.)

- ARROW, G. J. 1909. Relationships of lamellicorn Coleoptera. Tr. Ent. Soc. London 1909: 479-507.
 BÄNNINGER, M. 1921. Carabinae. Ent. Mitt. 10: 112-120, 151-156.
 1925. Nebriini. Ent. Mitt. 14: 180-195, 256-281, 329-341.

- BARBER, G. W. and W. O. ELLIS. 1920. Cupedidæ. Jr. N. Y. Ent. Soc. 27: 197-208.
- BARBER, H. S. 1919. Avocado seed weevils. Pr. Ent. Soc. Wash. 21: 53-60.
1924. New Ptiliidæ. Pr. Ent. Soc. Wash. 26: 167-178.
- BLACKMAN, M. W. 1920. Micracinæ. Miss. Ag. Exp. Sta. Tec. Bull. 9: 1-61.
1922. Mississippi bark beetles. Miss. Ag. Exp. Sta. Tec. Bull. 11: 1-130.
- BLAISDELL, F. E. 1919. Alaudes. Tr. Am. Ent. Soc. 45: 307-313.
1919. Cœlus. Tr. Am. Ent. Soc. 45: 315-334.
1921. Coleoptera. Can. Ent. 53: 129-132.
1921. Melyridæ, Chrysomelidæ, Tenebrionidæ from the Pacific Coast. Stanford U. Pub. Biol. Ser. 1(3): 137-231.
1923. Psephenus. Ent. News 24: 234-238.
1924. Melyridæ. Tr. Am. Ent. Soc. 49: 315-337.
- BLANCHARD, F. N. 1923. Cicindelidæ of Cheboygan and Emmet Counties, Mich. Mich. Acad. Sci. 1: 396-417.
- BLATCHLEY, W. S. 1919. Florida water beetles. Bull. Am. Mus. Nat. Hist. 41: 305-322.
1921. Halticini. Jr. N. Y. Ent. Soc. 29: 16-28.
- BÖVING, A. G. 1920 (and A. B. CHAMPLAIN). Larvæ of Cleridæ. Pr. U. S. Nat. Mus. 57: 575-649.
1921. Larva of *Popilia japonica*. Pr. Ent. Soc. Wash. 23: 51-62.
1921. Larvæ of Cucujidæ. Zooligica 3: 197-222.
1927. Classification of Anobiidæ larvæ. Pr. Ent. Soc. Wash. 29: 51-62.
- BUCHANAN, L. L. 1927. *Panscopus*. Pr. Ent. Soc. Wash. 29: 25-36.
1927. Notaris. Bull. Brook. Ent. Soc. 22: 36-40.
- CASEY, T. L. 1920. Memoirs on the Coleoptera IX.
1924. Memoirs on the Coleoptera XI.
- CHAMBERLAIN, W. J. 1920. New buprestid. Ent. News 31: 243.
- CHAPIN, E. C. 1920. Cleridæ. Pr. Ent. Soc. Wash. 22: 50-54.
- CHITTENDEN, F. H. 1896. New grain beetle. Can. Ent. 28: 197-198.
1924. *Sphenophorus*. Pr. Ent. Soc. Wash. 26: 145-160.
1925. *Coccotorus*. Pr. Ent. Soc. Wash. 27: 129-132.
1927. *Cureulio*. Ent. Amer. 7: 129-207.
- COMSTOCK, J. H. 1925. Introduction to entomology.
- COTTON, R. T. 1921. Four Rhyneophora attacking corn. Jr. Ag. Res. 20: 605-614.
1924. Larvæ of *Calandrinæ*. Pr. U. S. Nat. Mus. 66: 1-11.
- CRAIGHEAD, F. C. 1923. North American cerambycid larvæ. Dom. Can. Dept. Ag. Bull. 27: 1-238.
- DARLINGTON, P. J. 1927. Helmidæ from Cuba. Psyche 34: 91-97.
- DAWSON, R. W. 1924. Scarabæidæ of Nebraska. Nebr. U. Studies 22: 1-82.

1924. (and J. W. McCOLLOCH). *Bolbocerosoma*. Can. Ent. 56: 9-15.
- EICHOFF, W. 1878. *Descriptio Tomicinorum*. Mém. Liegé (2) 8: 1-531.
- VAN EMDEN, F. 1919. Carabidenlarven. Suppl. Ent. 8: 3-33.
1921. Carabidenlarven. Ent. Jahrb. 1921: 121-137.
- ESSIG, E. O. 1926. Insects of western North America.
- FALL, H. C. 1919. *Malthodes*. Ann. Ent. Soc. Am. 12: 31-42.
1919. *Cœlambus*. 20 pp. J. D. Sherman, Jr.
1920. New Coleoptera. Can. Ent. 52: 211-215.
1922. *Clivinia*. Ent. News 33: 161-164.
1922. *Agabus*. 36 pp. J. D. Sherman, Jr.
1922. *Gyrinus*. Tr. Am. Ent. Soc. 47: 269-306.
1923. *Hydroporus* and *Agaporus*. 129 pp. privately published.
1923. *Zarrhipis*. Can. Ent. 55: 109-112.
1924. New England Galerucella. Me. Exp. Sta. Bull. 319: 81-91.
1926. Coleoptera taken in Alaska. Pan-P. Ent. 2: 127-154, 191-208.
- FENYES, A. 1921. *Aleocharinæ*. Bull. Mus. Comp. Zool. 65: 17-36.
- FORBES, S. A. 1891. White grubs. 17 Rep. St. Ent. Ill., pp. 30-53.
1894. Wireworms. 18 Rep. St. Ent. Ill., pp. 28-51.
1894. White grubs. 18 Rep. St. Ent. Ill., pp. 109-144.
- FOWLER, W. W. 1912. Coleoptera: General Introduction. Fauna of Brit. India.
- GAGE, J. H. 1920. Larvæ of Coccinellidæ. Ill. Biol. Mon. 6: 1-62.
- GARNETT, R. T. 1920. A new Aphodius. Can. Ent. 52: 139-141.
- HAMILTON, C. C. 1925. Larvæ of Cicindelidæ. Pr. U. S. Nat. Mus. 65: 1-87.
- HATCH, M. H. 1924. Coleoptera of Cranberry Lake, N. Y. Tec. Pub. N. Y. St. Coll. For. 24: 273-312.
1925. Ecology of Gyrinidæ. Bull. Brook. Ent. Soc. 20: 101-114.
1925. Phylogeny of Gyrinidæ. Mich. Acad. Sci. 5: 429-467.
1926. Anchomenus. Jr. N. Y. Ent. Soc. 34: 247-248.
1926. Histeridæ from Alberta. Can. Ent. 58: 272-276.
1926. Morphology of Gyrinidæ. Mich. Acad. Sci. 7: 311-350.
1927. Dineutus. Bull. Brook. Ent. Soc. 22: 27-28.
- HEIKERTINGER, FRANZ. 1925. Halticenengenera. Kol. Rund. 11: 25-70.
- HENRIKSEN, K. 1913. Danmarks Fauna, Biller II, pp. 1-114.
1914. Larver, pp. 87-107. Danmarks Fauna, Biller III.
1922. Larver, pp. 249-273. Danmarks Fauna, Biller V.
1925. Larver, pp. 125-170. Danmarks Fauna, Biller VI.
- HOPPING, RALPH. 1922. *Monochamus*. Can. Ent. 54: 252-258.
1926. *Melasis*. Can. Ent. 58: 225-228.
- KNULL, J. N. 1920. Buprestidæ. Ent. News 31: 4-12.
1925. Buprestidæ of Pennsylvania. O. S. U. Univ. Studies 2: 1-71.
- JEANNEL, R. 1911. Bathysciinæ. Arch. Zool. exp. gen. (5) 7: 1-674.
1927. Monographie des Trechinae (2). L'Abeille 33: 1-592.
- LAMEERE, AUG. 1911. Revision des Prionides (V). Ann. Soc. ent. Belg. 55: 260-277.

- LENG, C. W. 1920. Catalogue of the Coleoptera of America north of Mexico.
1923. Statira. Jr. N. Y. Ent. Soc. 31: 184-188.
- MARTIN, J. O. 1922. Hetærius. Ent. News 33: 272-278, 289-293.
- MUTCHLER, A. J. and H. B. WEISS. 1922. Agrilus in New Jersey. N. J. Dept. Ag. Circ. 48: 1-20.
1923. Saperda and Oberea in New Jersey. *Ibid.* 58: 1-26.
1924. Blister beetles of New Jersey. *Ibid.* 76: 1-19.
1925. Conotrachelus in New Jersey. *Ibid.* 87: 1-22.
1926. Galerucella known to inhabit New Jersey. *Ibid.* 98: 1-16.
- NEEDHAM, J. H. 1918. Aquatic Insects (Chaptr. XXVII) in Ward and Whipple's Fresh-water Biology.
- NICOLAY, A. S. and H. B. WEISS. 1920. Pachyschelus and Taphrocerus. Jr. N. Y. Ent. Soc. 28: 136-150.
1923. Brachys. Jr. N. Y. Ent. Soc. 31: 59-76.
- NOTMAN, H. 1919. Bembidion. Jr. N. Y. Ent. Soc. 27: 292-297.
1921. Phytodecta. Bull. Brook. Ent. Soc. 16: 75-78.
1925. Pseudomorphidae. Pr. U. S. Nat. Mus. 67: 1-34.
1925. Osoriini. Pr. U. S. Nat. Mus. 67: 1-26.
- OCHS, G. 1926. Die Dineutini. Ent. Zeit. Frankf. 40: 61-74, 112-126, 129-140, 190-197.
- OLIVIER, E. 1886. Lampyrides. Ann. Soc. ent. Fr. 1886: 202-246.
- D'ORCHYMONT, A. 1921-1922. Tropisternus. Ann. Soc. ent. Belg. 61: 349-374; 62: 3-39.
1923. Hydræna. Ann. Soc. ent. Belg. 63: 33-44.
- ORTENBURGER, A. I. and M. H. HATCH. 1926. Coleoptera from Oklahoma. Okla. Acad. Sci. 6: 142-148.
- DE PEYERIMHOFF, P. 1902. Larves de trois Coléoptères. Ann. Soc. ent. Fr. 71: 717-718.
1906. Larves Coléoptères cavernicoles. Bull. Soc. ent. Fr. 1906: 109-118.
1907. Larves Silphides. Ann. Soc. ent. Fr. 76: 83-88.
- PIC, MAURICE. 1906. Crioceris asperagi L. Bull. Soc. ent. Fr. 1906: 119-123.
- PIERCE, W. D. 1919. Curculionoidea. Pr. Ent. Soc. Wash. 21: 21-36.
- PORTEVIN, G. 1923-1925. Necrophorini. Bull. Mus. Paris 29: 64-71, 141-146, 225-233, 303-309; 30: 83-87, 145-150, 185-192, 287-293, 374-377; 31: 165-170.
1926. Le Grands Necrophages. Ençy. Ent. VI.
- REICHARDT, AXEL. 1926. Pachylopus. Ent. Blättr. 22: 12-18.
- RICHMOND, E. A. 1920. Biology of Hydrophilidae. Bull. Am. Mus. Nat. Hist. 42: 1-94.
- ST. GEORGE, R. A. 1924. Larvæ of Tenebrionidæ. Pr. U. S. Nat. Mus. 65: 1-22.
1926. Larvæ of Tenebrio. Pr. Ent. Soc. Wash. 28: 102-111.

- SANDERSON, E. D. 1901. Chrysomelid larvæ. *Pr. Ent. Soc. Wash.* 5: 21-30.
SCHAFFER, C. 1919. Chrysomelidæ. *Jr. N. Y. Ent. Soc.* 27: 307-340.
1921. Aulicus. *Pr. U. S. Nat. Mus.* 59: 151-159.
1924. Chrysomelidæ. *Jr. N. Y. Ent. Soc.* 32: 138-145.
1925. Donaciini. *Brook. Mus. Sci. Bull.* 3: 45-165.
1926. Boloschesis. *Pr. Ent. Soc. Wash.* 28: 181-187.
SEIDLITZ, GEORG VON. 1898-1899. *Naturg. Ins. Deutsch.* V.
SWAINE, J. M. 1924. Ips. *Can. Ent.* 56: 69-72.
1924. Phloeoinus. *Can. Ent.* 56: 144-150.
1925. Ipidæ. *Can. Ent.* 57: 192-197.
TIMBERLAKE, P. H. 1919. Hippodamia. *Jr. N. Y. Ent. Soc.* 27: 162-174.
VAN DYKE, E. C. 1923. Coleoptera from California. *Bull. Brook. Ent. Soc.* 38: 37-53.
1924. Cychrini. *Pan-P. Ent.* 1: 1-6.
1925. Carabinæ. *Pan-P. Ent.* 1: 111-125.
1925. Hispinæ. *Pan-P. Ent.* 1: 170-173.
1927. Amphizoa. *Pan-P. Ent.* 3: 97-98.
1927. Cerambycidæ. *Pan-P. Ent.* 3: 99-109.
WILSON, C. B. 1923. Water beetles. *Bull. Bur. Fish.* 39: 231-345.
WINTERS, F. C. 1926. Hydroboriini. *Pan-P. Ent.* 3: 49-58.
WOLCOTT, A. B. 1921. Tillini. *Pr. U. S. Nat. Mus.* 59: 269-290.
1922. Clerini. *Tr. Am. Ent. Soc.* 48: 67-78.
ZIMMERMANN, A. 1919. Schwimmkäfer. *Arch. Naturg.* 1917 A (12): 68-249.
1924. Halipliden. *Ent. Blätt.* 20: 1-16, 65-80, 129-144, 193-214.